

**From:** [Fitzsimmons, Charlie](#)  
**To:** [Johnson, Larry-C](#)  
**Subject:** FW: FPN E043Z1 - SYKESVILLE ERM's Site Review  
**Date:** Tuesday, May 02, 2017 11:08:25 AM

---

Sincerely,  
Charlie Fitzsimmons, FOSC  
USEPA III  
Environmental Science Center  
Ft. Meade, Md 20755  
443.223.9774(m)

-----Original Message-----

From: Fitzsimmons, Charlie  
Sent: Wednesday, January 14, 2015 9:04 AM  
To: Devine, Sean MSTC <Sean.G.Devine@uscg.mil>  
Subject: Re: FPN E043Z1 - SYKESVILLE ERM's Site Review

Sean

I hope to have something by end of this month. Is that ok?

Sincerely,

Charlie Fitzsimmons, OSC  
Region 3, Ft. Meade, Md  
4432239774(m)  
4103053027(o)

Sent from my iphone

> On Jan 14, 2015, at 8:53 AM, Devine, Sean MSTC <Sean.G.Devine@uscg.mil> wrote:

>

> Good Morning Charlie,

>

> Were you able to look at the reports and make a determination on some of the costs?

>

>

> -----Original Message-----

> From: Fitzsimmons.Charlie@epa.gov [<mailto:Fitzsimmons.Charlie@epa.gov>]

> Sent: Thursday, October 16, 2014 1:46 PM

> To: Devine, Sean MSTC

> Subject: RE: FPN E043Z1 - SYKESVILLE ERM's Site Review

>

> Sean

> Fogle's Well Drilling and Pump Service, (see Notice of Federal Interest), Fogle's Excavating and Paving, and Fogle's Septic Clean Inc (see EPA's Admin Order on Consent) were all names that they used. The address remained the same however.

>

> All of the costs incurred by the Corps of Engineers under an approved PRFA with EPA were certified as being "services performed and articles were delivered and that payment requested as correct" by Corps Contract Officer Representative officials. To the best of my knowledge, Sub contractor invoices were not included but were certified as per previous statement.

>  
> I'll take a look at the substance of the report however my initial thoughts are that this action was 10 years ago so it may take some time.

>  
> Please let me know if there is anything else you need.

>  
>  
>  
>  
> Sincerely,  
> Charlie Fitzsimmons, FOOSC  
> Office of Preparedness and Response  
> Environmental Science Center  
> USEPA - III  
> 701 Mapes Rd.  
> Ft. Meade, Md. 20755  
> 4103053027

>  
> -----Original Message-----  
> From: Sean.G.Devine@uscg.mil [<mailto:Sean.G.Devine@uscg.mil>]  
> Sent: Wednesday, October 15, 2014 3:08 PM  
> To: Fitzsimmons, Charlie  
> Subject: FPN E043Z1 - SYKESVILLE ERM's Site Review

>  
> Good Afternoon Charlie,

>  
> Attached is ERM's assessment of the site's removal operations and associated attachments. The RP has had ERM look into the site as a whole. We are looking for your feedback in regards to their report.

>  
> The previous case officers have Fogle's Well and Drilling as being the potential RP. Is that correct or is it Fogle's Septic Clean, INC?

>  
> Also the RP has asked for invoices for the subcontractors Plexius hired. Are those invoices available?

>  
>  
> Respectfully,  
> MSTC Sean Devine  
> Team IV Case Officer  
>  
> National Pollution Funds Center (CM)  
> United States Coast Guard Stop 7100  
> 4200 Wilson Blvd. Ste 1000  
> Arlington, VA 20598-7100  
> Phone:(703)872-6082  
> Fax: (703)872-6133

>  
>  
>  
>  
>  
>  
>